

# JMN SPECIALTIES, INC.

1100 Victory Drive - Westwego, LA 70094  
PO Box 189 - Westwego, LA 70096



## PRODUCT BULLETIN

### ATTAR-C

#### RECOMMENDED USAGE GUIDELINES

Contamination	Product Strength (Product: Water)	Cleaning Procedures
Light	1:15- 1:30	Spray or wipe on; rinse and dry as required. May also be used in ultrasonic units or immersion baths with circulation agitation. Rinse and dry if necessary.
Medium - Oil, Grease, Carbon	1:5- 1:10	Spray or wipe on; allow 3-5 minutes dwell on thick deposits; pressure spray or scrub with nonmetallic brush or cloth; rinse and dry if necessary.
Heavy- Oil, Grease, Carbon	1:4- 1:9	Spray or wipe on; allow 5-8 minutes dwell on thick deposits; pressure spray or scrub with nonmetallic brush or cloth; rinse and dry if necessary.
Very Heavy - Oil, Grease, Baked-on Carbon Deposits	Neat -1:3	Very heavy deposits may require up to 15 minutes dwell and some agitation. Follow the same cleaning procedures as Heavy contamination.

**ATTAR-C** provides excellent cleaning performance at ambient temperature. If used heated, do not exceed 120° F.

**Cabinet Washers:** Product strength will depend on the type and degree of contamination; begin with a 3% solution and decrease or increase as required. Foaming is easily controlled by a small amount of defoamer (check with machine manufacturer). Process time will vary depending on soil and solution temperature: from 3 to 15 minutes at temperatures from ambient to 120° F.

**ATTAR-C** can be effectively used in ultrasonic cleaning units or immersion baths with circulation for agitation. Follow the recommended dilution guidelines for the amount and type of contamination. Process time will vary depending on soil, amount of agitation incorporated and solution temperature. Rinse and dry as necessary.

The information contained herein is provided in good faith, but shall not create any warranty, expressed or implied, by operation of law or otherwise, with any respect to any product. JMN SPECIALTIES, INC. SPECIFICALLY DISCLAIMS ALL WARRANTIES, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

**Phone (504) 341-3749 Fax (504) 341-5868 or E-mail: [sales@jmnspecialties.com](mailto:sales@jmnspecialties.com)**