



Safety Data Sheet (AIR COOLER CLEANER 6864)

1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:AIR COOLER CLEANER 6864

CHEMICAL NAME/

CLASS/SYNONYMS:Solvent Degreaser

PRODUCT NUMBER:AIR COOLER CLEANER 6864

UN/NA NUMBER:1992

CHEMICAL FAMILY:Solvent

CAS NUMBER:Not applicable for mixtures.

FORMULA:Proprietary

COMPANY:JMN Specialties, Inc.

1100 Victory Drive – Westwego, Louisiana USA 70094

Phone (504) 341-3749, Fax (504) 341-5868

www.jmnspecialties.com

EMERGENCY PHONE:CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside USA +01-813-248-0585.

DATE PREPARED:May 4, 2021

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Flammable Liquids:Category 3 - Flammable liquid and vapor

Corrosive Liquids:No Hazard Statement established for this Product

Health Hazards

Acute Toxicity:Category 4 - Harmful if swallowed, in contact with skin, inhaled

Skin Corrosion/Irritation:Category 2 - Causes skin irritation

Eye Damage/Irritation:Category 2A - Causes eye irritation

Aspiration Hazard:Category 1 - May be fatal if swallowed and enters airways

Carcinogen:Group 2B - The agent (mixture) is possibly carcinogenic to humans

See Section 11 for additional Toxicological information

EMERGENCY OVERVIEW:

Pictograms:



Signal Word (GHS-US):**DANGER!**



Safety Data Sheet (AIR COOLER CLEANER 6864)

Hazard Statements:

Physical Hazards (GHS-US):

H226: Flammable liquid and vapor

Health Hazards (GHS-US):

H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness. H351 - Suspected of causing cancer. H361 - Suspected of damaging fertility or the unborn child. H373 - May cause damage to organs (central nervous system, liver, heart) through prolonged or repeated exposure.

Environmental Hazards (GHS-US):

H402: Harmful to aquatic life

Precautionary Statements (GHS-US):

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P260 Do not breathe dust/fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P281 Use personal protective equipment as required.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P235 Keep cool. P405 Store locked up.

Response Statements (GHS-US):

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P314 Get medical advice/ attention if you feel unwell. P331 Do NOT induce vomiting. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. P391 Collect spillage. P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations, and product characteristics at time of disposal.

TOTAL VOC's:.....8.95 pounds per gallon

3 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT*	CAS NUMBER
Methylene Chloride (Dichloromethane)	60 - 70	75-09-2
Toluene	25 - 35	108-88-3
Linear Alcohol Ethoxylate	8 - 12	34398-01-1

*Any concentration shown as a range is to protect confidentiality or is due to batch variation.



Safety Data Sheet

(AIR COOLER CLEANER 6864)

4 – FIRST-AID MEASURES

- BREATHING (INHALATION):**..... Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen.
- SWALLOWING (INGESTION):**..... Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately.
- EYES:** Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
- SKIN (DERMAL):** Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.
- NOTE TO PHYSICIAN:** Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood., Acts as a simple asphyxiant by displacing air., anesthetic effects, Difficulty in breathing, Headache, Dizziness, Prolonged or repeated contact with skin may cause:, defatting, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Paresthesia., Drowsiness, Convulsions, Conjunctivitis., Pulmonary edema. Effects may be delayed., Irregular breathing., Stomach/intestinal disorders, Nausea, Vomiting, Increased liver enzymes, weakness. Heavy or prolonged skin exposure may result in the absorption of harmful amounts of material. Abdominal pain. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.



Safety Data Sheet

(AIR COOLER CLEANER 6864)

5 – FIRE-FIGHTING MEASURES

GENERAL FIRE HAZARDS:Flammable liquid and vapor

AUTOIGNITION TEMP:..... 598°F (314°C)

EXTINGUISHING MEDIA:..... Determined by surrounding material. In case of fire, use water fog, dry chemical, CO₂, or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.

SPECIAL FIRE FIGHTING

PROCEDURES:..... Spilled product on ground may be slippery.

UNUSUAL FIRE AND

EXPLOSION HAZARDS:.....Containers may explode from internal pressure if confined to fire. Cool with water spray.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:Wear appropriate personal protective equipment before approaching spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in accordance with applicable regulations.

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

RCRA STATUS:.....If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).



Safety Data Sheet

(AIR COOLER CLEANER 6864)

7 – HANDLING and STORAGE

STORAGE:..... Keep in a tightly closed container, stored in a cool, dry, ventilated area below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be washed out or used for other purposes.

HANDLING:..... Avoid contact with eyes, skin and clothing. Do not inhale vapors and fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use only.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT	PEL	TLV-TWA
Methylene Chloride (Dichloromethane)	50 ppm	50 ppm
Toluene	10 ppm	10 ppm
Linear Alcohol Ethoxylate	None Established	None Established



EXPOSURE CONTROLS:..... Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.



Safety Data Sheet (AIR COOLER CLEANER 6864)

RESPIRATORY PROTECTION:.....If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

PROTECTIVE CLOTHING:..... **Eye/face protection:** Wear chemical goggles; face shield (if splashing is possible). **Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots are recommended.

ADDITIONAL MEASURES:..... Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

9 – PHYSICAL / CHEMICAL PROPERTIES

BOILING POINT:..... IBP 270°F (132°C)

FREEZING POINT:..... < 0°F (< -17°C)

FLASHPOINT:41°F (5°C) TAG Closed Cup

UPPER FLAME LIMIT (%):.....7.2%

LOWER FLAME LIMIT (%):.....1.0%

VAPOR PRESSURE: No data available

VAPOR DENSITY (AIR=1):.....> 1 (Air = 1)

SPECIFIC GRAVITY:1.17 - 1.18

pH:NA

SOLUBILITY IN WATER:.....10%

VOLATILITY

INCLUDING WATER:9.82 pounds per gallon

MOLECULAR WEIGHT:.....No data available (G/MOLE)

EVAPORATION RATE: No data available

PHYSICAL STATE:.....Liquid

COLOR:Clear

ODOR:Sharp Solvent



Safety Data Sheet (AIR COOLER CLEANER 6864)

10 – STABILITY and REACTIVITY

STABILITY:Stable
HAZARDOUS DECOMP.:Will not occur
INCOMPATIBILITY:Alkali metals, Aluminum, Strong oxidizing agents, Bases, Amines, Magnesium, Strong acids and strong bases, Vinyl compounds.
HAZARDOUS REACTIONS:..... Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).

11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE:.....10 ppm based on lowest ingredient in mixture
OSHA PEL:.....10 ppm based on lowest ingredient in mixture
LISTED CARCINOGEN:.....Limited evidence of carcinogenicity in animal studies. Suspected human carcinogens. IARC: 2B - Group 2B: Possibly carcinogenic to humans (Methylene chloride). NTP: Reasonably anticipated to be a human carcinogen(Methylene chloride). OSHA: OSHA specifically regulated carcinogen (Methylene chloride).

MEDICAL CONDITION

AGGRAVATED:.....Current available data does not indicate that there are medical conditions that are generally recognized as being aggravated by exposure to this substance/product. Pre-existing medical conditions of the following organ(s) or organ system(s) may be aggravated by exposure to this material: Respiratory system. Eyes. Skin.

INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL

Product:If ingested call a POISON CENTER or doctor/physician immediately.

DERMAL

Product:Prolonged or repeated skin contact may cause mild to severe irritation. Skin contact may aggravate existing dermatitis.

INHALATION

Product:Inhalation may cause severe irritation, coughing. Prolonged or repeated overexposure by inhalation may cause headache, nausea, drowsiness.

REPEATED DOSE TOXICITY

Product:Suspected of damaging fertility or the unborn child.

SKIN CORROSION / IRRITATION

Product:Repeated and prolonged exposure to concentrated material may cause dermatitis and possible allergic skin reaction.



Safety Data Sheet (AIR COOLER CLEANER 6864)

SERIOUS EYE DAMAGE / IRRITATION

Product:Eye contact with product may cause mild to severe irritation, possible chemical burns, or eye damage.

RESPIRATORY OR SKIN SENSITIZATION

Product:May cause an allergic skin reaction.

MUTAGENICITY

IN VITRO

Product:No Data Available

IN VIVO

Product:No Data Available

Specified Substance(s)

Information as provided by manufacturer

Dichloromethane

No Data Available

CARCINOGENICITY

Product:This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Probable human carcinogen.

REPRODUCTIVE TOXICITY

Product:Chronic Effects on Humans: **CARCINOGENIC EFFECTS:** Classified + (Proven.) by OSHA. Classified 2B (Possible for human.) by IARC. Causes damage to the following organs: lungs, the nervous system, liver, mucous membranes, central nervous system (CNS). **Other Toxic Effects on Humans:** Very hazardous in case of ingestion, of inhalation. Hazardous in case of skin contact (irritant, permeator).

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

Product:..... **INHALATION:** High concentrations of vapor may cause irritation of the respiratory tract, experienced as nasal discomfort and discharge, with chest pain and coughing. Headache, nausea, vomiting, dizziness, and drowsiness may occur. **EYES:** Causes severe irritation experienced as discomfort or pain, excess blinking and tear production, with marked excess redness and swelling of the conjunctiva. **SKIN:** Brief contact may cause slight irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain. **SWALLOWING:** Poison, toxic. May cause headache, dizziness, incoordination, nausea, vomiting, diarrhea, and general weakness. **MAY BE FATAL IF SWALLOWED.**

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

Product:The effects of long-term, low-level exposures to this product have not been determined. Safe handling of this material on a long-term basis should emphasize the avoidance of all effects from repetitive acute exposure. This product may aggravate existing eye, skin, and respiratory conditions or cause damage to organs (central nervous system, liver, heart) through prolonged or repeated exposure.

ASPIRATION HAZARD

Product:Droplets of the product aspirated into the lungs through ingestion or vomiting may cause chemical pneumonia.



Safety Data Sheet

(AIR COOLER CLEANER 6864)

OTHER ADVERSE EFFECTS

Product:To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Handle in accordance with good industrial hygiene and safety practice.

12 – ECOLOGICAL INFORMATION

ACUTE TOXICITY

FISH

Product:LC50 - Pimephales promelas (fathead minnow) - 193 mg/L- 96.0 h; NOEC - Cyprinodon variegatus (sheepshead minnow) - 130 mg/l - 96 h.

AQUATIC INVERTEBRATES

Product:EC50 - Daphnia magna (Water flea) - 1,682.00 mg/l - 48 h.

CHRONIC TOXICITY

FISH

Product:There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems.

AQUATIC INVERTEBRATES

Product:There is no information available at this time for this product. However, a spill may produce significant toxicity to aquatic organisms and ecosystems.

TOXICITY TO AQUATIC PLANTS

Product:LC50 - Pseudokirchneriella subcapitata (green algae) - 1,450 mg/L - 96 h.

PERSISTENCE AND DEGRADABILITY

BIODEGRADATION

Product:Result: < 26 % - Not readily biodegradable. (OECD Test Guideline 301C)

BIOLOGICAL OXYGEN DEMAND

Product:No data available

CHEMICAL OXYGEN DEMAND

Product:No data available

BOD / COD RATIO

Product:No data available

BIOACCUMULATIVE POTENTIAL

Product:Because Methylene chloride evaporates easily, if it is released to the environment during production and use, most of it eventually reaches the air. Methylene chloride that reaches groundwater may be difficult to remediate. Methylene chloride has low acute toxicity to aquatic organisms; lethal concentrations are generally greater than 100 mg/L.

MOBILITY IN SOIL

Product:10% expected to partition to water.



Safety Data Sheet (AIR COOLER CLEANER 6864)

RESULTS OF PBT AND mPvB ASSESSMENT

Product:No data available.

OTHER ADVERSE EFFECTS

Product:An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

RCRA STATUS:.....If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).

14 – TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



UN/NA NUMBER:.....1992

PROPER SHIPPING NAME:..... Flammable liquid, toxic n.o.s. (Hydrocarbon Mixture, Dichloromethane)

HAZARD CLASS:.....3, 6.1

PACKAGING GROUP :II

LETTER:.....F (Flammable, T (Toxic)

ENVIRONMENTAL HAZARD:The potential mobility of Dichloromethane in the soil is high. Very little Dichloromethane breaks down in soil, and it can pass through the soil into underground water. There is no evidence of significant bioaccumulation or biomagnification.



Safety Data Sheet

(AIR COOLER CLEANER 6864)

REPORTABLE QUANTITY:.....Based on Dichloromethane: CAS # 75-09-2 in mixture: 1500 Lbs.
(680 Kilograms).

15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List. Any impurities present in this product are exempt from listing.

SECTION 302:None

SECTION 304:None

SECTION 312:Yes

SARA SECTION 313:.....Based on Dichloromethane: CAS # 75-09-2 in mixture: 1500 Lbs.
(680 Kilograms).

ACUTE:Yes

CHRONIC:Yes

FIRE:Yes

PRESSURE:No

REACTIVE:.....No

CLEAN WATER ACT:.....Yes

IMDG – International Marine Dangerous Goods Code

UN1992, Flammable liquid, toxic n.o.s. (Hydrocarbon Mixture, Dichloromethane), 3, 6.1, PGII.

EMS-No: F-E, S-D, Marine pollutant: No

IATA

UN1992, Flammable liquid, toxic n.o.s. (Hydrocarbon Mixture, Dichloromethane), 3, 6.1, PGII.

DEA Chemical Trafficking Act: ..No

Homeland Security Regulated ..This product does not contain any reportable DHS chemicals.

California Proposition 65.....This product contains the following Proposition 65 chemicals:

Component.....Methylene chloride (Dichloromethane) CAS# 75-09-2, Toluene CAS# 108-88-3

Cal Prop 65..... WARNING! This product contains a chemical known to the State of California to cause cancer. WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Cal Prop 65 NSRL.....No Significant Risk Level



Safety Data Sheet

(AIR COOLER CLEANER 6864)

Category..... WARNING! This product contains a chemical known to the State of California to cause cancer. WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

US State Right to Know (RTK)

Component.....Methylene chloride (Dichloromethane) CAS# 75-09-2, Toluene CAS# 108-88-3

MassachusettsYes **

New JerseyYes **

PennsylvaniaYes **

IllinoisYes **

Rhode Island.....Yes **

****RTK Chemical(s)**Methylene chloride (Dichloromethane) CAS# 75-09-2, Toluene CAS# 108-88-3

Canada NPRIMethylene chloride (Dichloromethane) CAS# 75-09-2, Toluene CAS# 108-88-3

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All ingredients in this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All ingredients in this product are listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All ingredients in this product are listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All ingredients in this product are listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.KE-04134

Philippines Inventory (PICCS): All ingredients in this product are listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All ingredients in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).



Safety Data Sheet (AIR COOLER CLEANER 6864)

16 – OTHER INFORMATION

HMIS*

HEALTH		2
FLAMMABILITY		2
REACTIVITY		0
PERSONAL PROTECTION		H

**HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.*

ND = No Data, NA = Not Applicable/Not Available, ≤ = Less than or equal to, ≥ = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.**

*****This is the last page of this SDS*****