

# 1 - PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:....**MIL-C-18718B

CHEMICAL NAME/

CLASS/SYNONYMS:.....Fed. Spec. O-C-434A, O-C-1889, MIL-S-18718

PRODUCT NUMBER:.....MIL-C-18718B

UN/NA NUMBER:.....2810

CHEMICAL FAMILY: ......Solvent mixture

**CAS NUMBER:.....**Not applicable for mixtures.

FORMULA: Mixture

COMPANY: .....JMN Specialties, Inc.

1100 Victory Drive - Westwego, Louisiana USA 70094

Phone (504) 341-3749, Fax (504) 341-5868

www.jmnspecialties.com

EMERGENCY PHONE: ......CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside

USA +01-813-248-0585.

DATE PREPARED: .....January 5, 2022

#### 2 - HAZARDS IDENTIFICATION

#### GHS HAZARD CLASSIFICATION:

**Physical Hazards** 

Health Hazards

Acute Toxicity:......Category 4 - Harmful if swallowed, in contact with skin, inhaled

Skin Corrosion/Irritation: ..... Catagory 2 - Causes skin irritation

**Eye Damage/Irritation: ......** Category 2B - Mildly irritating to eyes

**Aspiration Hazard: .....**Catagory 1 - May be fatal if swallowed and enters airways **Carcinogen: .....**Category 1B - Presumed to have carcinogenic potential for

humans

See Section 11 for additional Toxicological information

### **EMERGENCY OVERVIEW:**

**Pictograms:** 





Signal Word (GHS-US): .....DANGER!



#### **Hazard Statements:**

## **Physical Hazards (GHS-US):**

No Hazard Statement established for this Product

## **Health Hazards (GHS-US):**

H315: Causes skin irritation. H320: Causes eye irritation. H332: Harmful if inhaled. H336: May cause drowsiness or dizziness. H350i: May cause cancer by inhalation. H402: Harmful to aquatic life.

# **Environmental Hazards (GHS-US):**

H402: Harmful to aquatic life

### **Precautionary Statements (GHS-US):**

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P260 Do not breathe dust/fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P281 Use personal protective equipment as required. P233+P403+P405: Keep container tightly closed. Store in a well ventilated place. Store locked up.

# Response Statements (GHS-US):

P301+P310+P330+P331: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. P303+P310+P361+P353: IF ON SKIN (or hair): Gently wash with plenty of soap and water. Remove / Take off immediately all contaminated clothing. P332+P313: If skin irritation occurs: Get medical advice / attention. P304+P340+P312: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305+P351+P338+337+P313: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention. P362+P363 Take off contaminated clothing. Wash contaminated clothing before reuse. P370+P378: In case of fire: Use dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2) to extinguish. P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations, and product characteristics at time of disposal.

TOTAL VOC's:.....2.45 pounds per gallon

# 3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT*	<b>CAS NUMBER</b>
Dichloromethane (Methylene Chloride)	20 - 30	75-09-2
Perchloroethylene	1 - 5	127-18-4
Distillates, petroleum, hydrotreated light	60 - 80	64742-47-8

<sup>\*</sup>Any concentration shown as a range is to protect confidentiality or is due to batch variation.



#### 4 - FIRST-AID MEASURES

BREATHING (INHALATION):..... Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen. **SWALLOWING (INGESTION)**:..... Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately. EYES: ......Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention. SKIN (DERMAL): ......Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop. NOTE TO PHYSICIAN: ......The hazards of this material are due mainly to its severely irritant properties on skin and mucosal surfaces. Signs and Symptoms of Exposure: burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Exposure to and/or consumption of alcohol may increase toxic effects., Gastrointestinal disturbance, kidney injury may occur, narcosis. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other

# 5 - FIRE-FIGHTING MEASURES

than this product may have occurred.

**GENERAL FIRE HAZARDS: ......**This product is not a flammable liquid per the OSHA Hazard Communication Standard, but may ignite and/or burn at temperatures exceeding the flash point. Spontaneous combustion may occur under high temperature, closed conditions if material is absorbed in various fiber matrices and oxygen is present (e.g. oily rags). Can ignite under moderate heating. Standard procedure for oil / solvent fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. For additional fire related information, see NFPA 30 or the Emergency Response Guidebook.



**AUTOIGNITION TEMP:.....** 448°F (231°C)

**EXTINGUISHING MEDIA:.....** Determined by surrounding material. In case of fire, use water

fog, dry chemical, CO<sub>2</sub>, or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and

equipped with proper protective equipment.

**SPECIAL FIRE FIGHTING** 

**PROCEDURES:.....** Spilled product on ground may be slippery.

UNUSUAL FIRE AND

**EXPLOSION HAZARDS:.....**Containers may explode from internal pressure if confined to

fire. Cool with water spray.

### **6 – ACCIDENTAL RELEASE MEASURES**

**SPILL PROCEDURES:** ......Wear appropriate personal protective equipment before

approaching spill site. Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Absorb with inert material (sand or other approved material) and dispose of in accordance with

applicable regulations.

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in

accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local

requirements.

RCRA STATUS:......If discarded in its purchased form, this product is considered a

RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous

waste. (40CFR261.20-24).



#### 7 – HANDLING and STORAGE

STORAGE:...... Keep in a tightly closed container, stored in a cool, dry,

ventilated area below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be washed

out or used for other purposes.

HANDLING:......Avoid contact with eyes, skin and clothing. Do not inhale vapors

and fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use

only.

# **8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### OCCUPATIONAL EXPOSURE LIMITS

**HAZARDOUS INGREDIENT** PEL **TLV-TWA** Dichloromethane (Methylene Chloride) 25 ppm 25 ppm Perchloroethylene 100 ppm 100 ppm Distillates, petroleum, hydrotreated light None Established None Established









**EXPOSURE CONTROLS:.....** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.



RESPIRATORY PROTECTION:.....If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

PROTECTIVE CLOTHING:..... Eye/face protection: Wear chemical goggles; face shield (if splashing is possible). Skin protection: Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots are recommended. ADDITONAL MEASURES:..... Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower

and eye wash should be available close to work areas.

# 9 – PHYSICAL / CHEMICAL PROPERITES

**BOILING POINT:.....** > 104°F (> 40°C) **FREEZING POINT:.....** -68°F (-55.5°C) FLASHPOINT: ...... 205°F (> 96°C) **UPPER FLAME LIMIT (%):.....** Upper explosion limit: 7.0% (V) LOWER FLAME LIMIT (%):.....Lower explosion limit: 0.6% (V) **VAPOR PRESSURE: .....> 1 VAPOR DENSITY (AIR=1):.....**> 1 **SPECIFIC GRAVITY: .....** 0.97 - 0.99 **pH: .....**NA **SOLUBILITY IN WATER:....**Not soluble **VOLATILITY INCLUDING WATER:** ......8.17 pounds per gallon MOLECULAR WEIGHT:.....No data available (G/MOLE) **EVAPORATION RATE:** No data available PHYSICAL STATE:....Liquid COLOR: ......Clear ODOR: .....Ether-like



#### 10 - STABILITY and REACTIVITY

STABILITY: .....Stable

HAZARDOUS DECOMP .: ......Will not occur

**INCOMPATIBILITY:** ......Oxidizers or Oxidizing Materials.

HAZARDOUS REACTIONS:...... Not expected to be Explosive, Self-Reactive, Self-Heating, or an

Organic Peroxide under US GHS Definition(s).

### 11 - TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE:......The standard sets a permissible exposure limit (PEL) of 25 parts

methylene chloride per million parts of air (ppm) as an eighthour time-weighted average. The action level for airborne methylene chloride is set at a concentration of 12.5 ppm, calculated as an eight-hour TWA. There is also a short-term exposure limit (STEL) of 125 ppm, as measured over a 15-

minute period.

OSHA PEL:.....No occupational exposure limits have been established at this

time. 25 ppm for lowest compondent in mixture.

**LISTED CARCINOGEN:....**IARC: 2A - Group 2A: Probably carcinogenic to humans

(Dichloromethane CAS# 75-09-2, Tetrachloroethylene CAS# 127-18-4), NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen. OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list

of regulated carcinogens.

**MEDICAL CONDITION** 

AGGRAVATED:.....Current available data does not indicate that there are medical

conditions that are generally recognized as being aggrevated by exposure to this substance/product. Pre-existing medical conditions of the following organ(s) or organ system(s) may be aggravated by exposure to this material: Respiratory system.

Eyes. Skin.

### **INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS**

ORAL

**Product:** ......If ingested call a POISON CENTER or doctor/physician immedately.

**DERMAL** 

**Product:** ......Prolonged or repeated skin contact may cause mild to severe irritation. Skin contact may aggravate existing dermatitis.



**INHALATION** 

**Product:** ......Inhalation may cause severe irritation, coughing. Prolonged or repeated overexposure by inhalation may cause headache, nausea, drowsiness.

REPEATED DOSE TOXICITY

Product: ......No Data Available

**SKIN CORROSION / IRRITATION** 

**Product:** ......Repeated and prolonged exposure to concentrated material may cause dermatitis and possible allergic skin reaction.

**SERIOUS EYE DAMAGE / IRRITATION** 

**Product:** ......Eye contact with product may cause mild to severe irritation, possible chemical burns, or eye damage.

**RESPIRATORY OR SKIN SENSITIZATION** 

**Product:** ......May cause an allergic skin reaction.

#### MUTAGENCITY

**IN VITRO** 

**Product:** ......No Data Available

**IN VIVO** 

Product: ......No Data Available

Specified Substance(s) Information as provided by manufacturer

Dichloromethane (Methylene Chloride) No Data Available

# **CARCINOGENICITY**

**Product:** ......This product is or contains a component that has been reported to be probably carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Probable human carcinogen.

#### **REPODUCTIVE TOXICITY**

**Product:** ......Mutagenicity: This information is not available. Teratogenicity: Solvents in this mixture are suspected of damaging the unborn child.

# SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE



#### SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE

#### **ASPIRATION HAZARD**

**Product:** ......Droplets of the product aspirated into the lungs through ingestion or vomiting may cause chemical pneumonia.

#### **OTHER ADVERSE EFFECTS**

**Product:** .......Overexposures have been known to produce liver damage in animal studies. Fetotoxicity and embryotoxicity in the presence of maternal toxicity has been shown to occur in rabbits at a high doses.

#### 12 - ECOLOGICAL INFORMATION

#### **ACUTE TOXICITY**

**FISH** 

**Product:** ......Flow-through test LC50 - Pimephales promelas (fathead minnow) - 193.00 mg/l - 96 h. (ECHA).

#### **AQUATIC INVERTEBRATES**

**Product:** ......Static Test LC50 - Daphnia magna (Water flea) - mg/l - 48 h (US-EPA)

#### **CHRONIC TOXICITY**

**FISH** 

**Product:** ......This material has exhibited moderate toxicity to aquatic organisms.

#### **AQUATIC INVERTEBRATES**

**Product:** ......This material has exhibited moderate toxicity to aquatic organisms.

### **TOXICITY TO AQUATIC PLANTS**

**Product:** ......Toxicity to bacteria static test EC50 - activated sludge - 2,590 mg/l - 40 min. (OECD Test Guideline 209)

# PERSISTENCE AND DEGRADABILITY

#### **BIODEGRADATION**

**Product:** ......This product is considered to be biodegradable.

#### **BIOLOGICAL OXYGEN DEMAND**

Product: ......No data available

### **CHEMICAL OXYGEN DEMAND**

Product: ......No data available

#### **BOD / COD RATIO**

Product: ......No data available



#### **BIOACCUMULATIVE POTENTIAL**

#### **MOBILITY IN SOIL**

**Product:** ......Portions of this product expected to partition to water.

#### **RESULTS OF PBT AND mPvB ASSESSMENT**

**Product:** ......No data available.

#### **OTHER ADVERSE EFFECTS**

**Product:** ......An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

#### 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in

accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local

requirements.

RCRA STATUS:.....If discarded in its purchased form, this product is considered a

RCRA hazardous waste. It is the responsibility of the product

RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous

waste. (40CFR261.20-24).

#### 14 - TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



**UN/NA NUMBER:....**2810

**PROPER SHIPPING NAME:......** Toxic, liquids, organic, n.o.s., contains (Dichloromethane,

Perchloroethylene, Petroleum Distillates)



 PACKAGING GROUP :......T

**ENVIRONMENTAL HAZARD: .....** For terrestrial uses, do not apply directly to water, or to areas

where surface water is present or to intertidal areas below the mean high water mark. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters. The potential mobility of this product in the soil is high and it can pass through the soil into underground water.

It does not bioaccumulate.

REPORTABLE QUANTITY:.....RQ amount 285 pounds (129.27 kilograms) based on

Dichloromethane and Tetrachloroethylene in blend.

#### **15 - REGULATIONS**

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

# **EPA SRA Title III Chemical Listings:**

TSCA STATUS: ......This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List. Any impurities present in this product are exempt from listing. requirements of SARA Title III, Section 302. **SECTION 304:.....**None SECTION 312:.....Acute Health Hazard, Chronic Health Hazard SARA SECTION 313:.....285 pounds (129.27 kilograms) based on Dichloromethane and Tetrachloroethylene in blend. Threshold Planning Quantity (TPQ) ACUTE: ......Yes (Eyes) CHRONIC: .....Yes **FIRE:**.....No PRESSURE: ......No REACTIVE:.....No CLEAN WATER ACT:.....Yes

#### IMDG – International Marine Dangerous Goods Code

UN 2810, Toxic, liquids, organic, n.o.s., contains (Dichloromethane, Perchloroethylene, Petroleum Distillates), 6.1, PGIII. EMS-No: F-E, S-D, Marine pollutant: No



#### **IATA**

UN 2810, Toxic, liquids, organic, n.o.s., contains (Dichloromethane, Perchloroethylene, Petroleum Distillates), 6.1, PGIII.

### **DEA Chemical Trafficking Act: ..**No

Homeland Security Regulated .. This product does not contain reportable DHS chemical(s).

California Proposition 65	Contains ingredients Known/Likely, to be Carcinogenic to
humans by the state of Californ	nia
Component	Dichloromethane CAS# 75-09-2, Tetrachloroethylene CAS# 127-
18-4	
Cal Prop 65 NSRL	Chronic Reference Exposure Levels

### **US State Right to Know (RTK)**

Component	Dichloromethane CAS# 75-09-2,	Tetrachloroethylene CAS# 127-
18-4		

Massachusetts	Yes *
New Jersey	Yes *
Pennsylvania	
Illinois	
Rhode Island	

\*\*RTK Chemical(s) ......Dichloromethane CAS# 75-09-2, Tetrachloroethylene CAS# 127-18-4

Canada NPRI ......Dichloromethane CAS# 75-09-2, Tetrachloroethylene CAS# 127-

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All ingredients in this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All ingredients in this product are listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All ingredients in this product are listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All ingredients in this product are listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.KE-04134 Philippines Inventory (PICCS): All ingredients in this product are listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All ingredients in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).



#### 16 - OTHER INFORMATION

HMIS*			
HEALTH		2	
FLAMMABILITY		0	
REACTIVITY		0	
PERSONAL PROTECTION		Н	

\*HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available,  $\leq$  = Less than or equal to,  $\geq$  = Greater than or equal to

**REVISION STATEMENT:** Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

#### **DISCLAIMER:**

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

\*\*\*This is the last page of this SDS\*\*\*