



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:A-A-19D SCALE REMOVING COMPOUND

CHEMICAL NAME/

CLASS/SYNONYMS:Water Scale Remover, Scale and Rust Remover

PRODUCT NUMBER:A-A-19D SCALE REMOVING COMPOUND

UN/NA NUMBER:2967

CHEMICAL FAMILY:Compounds, Cleaning

CAS NUMBER:Not applicable for mixtures.

FORMULA:H₃NO₃S

COMPANY:JMN Specialties, Inc.

1100 Victory Drive – Westwego, Louisiana USA 70094

Phone (504) 341-3749, Fax (504) 341-5868

www.jmnspecialties.com

EMERGENCY PHONE:CALL CHEMTEL: Toll Free US & Canada: (800) 255-3924, Outside USA +01-813-248-0585.

DATE PREPARED:September 29, 2022

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Flammable Liquids:No Hazard Statement established for this Product

Corrosive Liquids:Category 1: Corrosive to metals

Health Hazards

Acute Toxicity:Category 4 - Harmful if swallowed, in contact with skin, inhaled

Skin Corrosion/Irritation:Category 1C - Causes severe skin burns and eye damage

Eye Damage/Irritation:Category 1 - Causes severe eye damage

Aspiration Hazard:Category 2 - May be harmful if swallowed and enters airways.

Carcinogen:No Hazard Statement established for this Product

Specific Target Organ

Toxicity Single Exposure:: Category 3: Respiratory tract irritation (sore throat, cough).

Specific Target Organ

Toxicity Repeated Exposure .: Category 2: May cause damage to organs through prolonged or repeated exposure.

See Section 11 for additional Toxicological information

EMERGENCY OVERVIEW:

Pictograms:





Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

Signal Word (GHS-US):**DANGER!**

Hazard Statements:

Physical Hazards (GHS-US):

H290: May be corrosive to metals

Health Hazards (GHS-US):

H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H373: May cause damage to organs through prolonged or repeated exposure.

Environmental Hazards (GHS-US):

H402: Harmful to aquatic life

Precautionary Statements (GHS-US):

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+233+270+280+281: Do not handle until all safety precautions have been read and understood. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. P264: Wash thoroughly after handling. P260: Do not breathe mist, vapors, spray. P273: Avoid release to the environment.

P233+P403: Keep container tightly closed. Store in a well ventilated place. P405: Store locked up.

Response Statements (GHS-US):

P301+P316+P331: IF SWALLOWED: Get immediate emergency medical help. Do NOT induce vomiting. P302+352+P362+P363: IF ON SKIN: Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. P332+P317: IF SKIN irritation occurs: Get medical help. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P337+P317: IF eye irritation persists: Get medical help.

P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations, and product characteristics at time of disposal.

TOTAL VOC's:.....None

3 – COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT*	CAS NUMBER
Sulfamic Acid	96.5 - 100	5329-14-6
Metanil Yellow	0 - 0.001	587-98-4
Corrosion Inhibitor and Anitcaking Aid	1.5 - 2.5	Confidential

*Any concentration shown as a range is to protect confidentiality or is due to batch variation. When not listed, mixtures may contain water [CAS No. 7732-18-5] to 100%.



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

4 – FIRST-AID MEASURES

- BREATHING (INHALATION):**..... Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider administering oxygen.
- SWALLOWING (INGESTION):**..... Give large amounts of fresh water or milk immediately. Do not give anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical attention immediately.
- EYES:** Flush eye with copious quantities of water. If persistent irritation occurs, obtain medical attention.
- SKIN (DERMAL):** Remove contaminated clothing and wash affected skin with soap and water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop.
- NOTE TO PHYSICIAN:** All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

5 – FIRE-FIGHTING MEASURES

- GENERAL FIRE HAZARDS:** Testing (ASTM D4206) has shown product does not sustain combustion.
- AUTOIGNITION TEMP:**..... No Data Available
- EXTINGUISHING MEDIA:**..... Determined by surrounding material. In case of fire, use water fog, dry chemical, CO₂, or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.
- SPECIAL FIRE FIGHTING PROCEDURES:**..... Spilled product on ground may be slippery.
- UNUSUAL FIRE AND EXPLOSION HAZARDS:**..... Containers may explode from internal pressure if confined to fire. Cool with water spray.



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:Wear appropriate personal protective equipment before approaching spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in accordance with applicable regulations.

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

RCRA STATUS:..... If discarded in its purchased form, it is not a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).

7 – HANDLING and STORAGE

STORAGE:..... Keep in a tightly closed container, stored in a cool, dry, ventilated area below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be washed out or used for other purposes.

HANDLING:.....Avoid contact with eyes, skin and clothing. Do not inhale vapors and fumes. Wash thoroughly after handling. Use only with adequate ventilation. Do not take internally. For industrial use only.



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT	PEL	TLV-TWA
Sulfamic Acid	3 mg/m ³	0.1 mg/m ³
Metanil Yellow	None Established	None Established
Corrosion Inhibitor and Anitcaking Aid	None Established	None Established



EXPOSURE CONTROLS:..... Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

RESPIRATORY PROTECTION:.....If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

PROTECTIVE CLOTHING:..... **Eye/face protection:** Wear chemical goggles; face shield (if splashing is possible). **Skin protection:** Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron or chemical suit and chemical resistant boots are recommended.

ADDITIONAL MEASURES:..... Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

9 – PHYSICAL / CHEMICAL PROPERTIES

BOILING POINT:..... 401°F (205°C) @ 760 mmHg
FREEZING POINT:..... 419 - 437°F (215 - 225°C)
FLASHPOINT:Non-flammable material
UPPER FLAME LIMIT (%):.....No Data Available
LOWER FLAME LIMIT (%):.....No Data Available
VAPOR PRESSURE:0.008 hPa (0.006 mmHg) at 68°F (20°C), 0.025 hPa (0.019 mmHg) at 212°F (100°C)
VAPOR DENSITY (AIR=1):.....> 1
SPECIFIC GRAVITY:2.115 g/cm³ @ 77°F (25°C)
pH:10% solution in water: 1 - 2
SOLUBILITY IN WATER:.....213 g/l at 68°F (20°C)470 g/l at 176°F (80°C)
VOLATILITY
INCLUDING WATER:17.93 pounds per gallon
MOLECULAR WEIGHT:.....97.09 g/mol (for Sulfamic Acid)
EVAPORATION RATE: No data available
PHYSICAL STATE:.....Dry granular material
COLOR:White and Yellow (Granular or Powder)
ODOR:Mild / Bland

10 – STABILITY and REACTIVITY

STABILITY:Stable
HAZARDOUS DECOMP.:Will not occur
INCOMPATIBILITY:Aqueous solutions of Sulfamic Acid can, if in contact with reactive metals (iron, zinc, or aluminum), form hydrogen which may form explosive mixtures. Avoid strong oxidizing agents, strong bases.
HAZARDOUS REACTIONS:..... Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).

11 – TOXICOLOGICAL INFORMATION

THRESHOLD LIMIT VALUE:.....None Established for this Product
OSHA PEL:.....None Established for this Product
LISTED CARCINOGEN:..... This product IS NOT listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest editions) or found to be a potential carcinogen by OSHA.
MEDICAL CONDITION
AGGRAVATED:..... Existing dermatitis.



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

ORAL

Product:Severe irritant to mucous membranes and may cause perforation of the esophagus and stomach. Abdominal pain, nausea, vomiting, general gastro-intestinal upset can be expected.

DERMAL

Product:Tingling/irritation of the skin. ON CONTINUOUS EXPOSURE/CONTACT: Possible chemical burns/corrosion of the skin.

INHALATION

Product:Dry/sore throat. Coughing. ON CONTINUOUS EXPOSURE/CONTACT: Respiratory difficulties. Corrosion of the upper respiratory tract.

REPEATED DOSE TOXICITY

Product:

SKIN CORROSION / IRRITATION

Product:Repeated and prolonged exposure to material may cause dermatitis, corrosion of skin.

SERIOUS EYE DAMAGE / IRRITATION

Product:Irritation of the eye tissue. ON CONTINUOUS EXPOSURE/CONTACT: Corrosion of the eye tissue. Tearing, redness, pain, impaired vision are symptoms.

RESPIRATORY OR SKIN SENSITIZATION

Product:Not expected to be sensitizing based on tests of this product, components, or similar products.

MUTAGENICITY

IN VITRO

Product:No Data Available

IN VIVO

Product:No Data Available

Specified Substance(s)

Sulfamic Acid

Information as provided by manufacturer

Data has shown negative results for mutagenicity both in vitro and in vivo for this product and its separate ingredients. It is concluded that the available data are sufficient and indicate that this material has no significant genotoxicity.

CARCINOGENICITY

Product:Based on available data the classification criteria are not met. Not classified as hazardous.

REPRODUCTIVE TOXICITY

Product:Based on available data the classification criteria are not met. Not classified as hazardous.



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE

Product:..... **GENERAL:** This product contains acids that are corrosive and can cause severe and painful burns on contact with any part of the body or if taken internally. The mucous membranes of the eyes and the upper respiratory tract are especially susceptible to these irritating effects. **INHALATION:** Inhalation of excessive concentrations of mist or vapor can cause severe irritation of the upper respiratory tract, resulting in coughing, burning of the throat, and a choking sensation. If inhaled deeply, edema of the lungs may occur. **EYES:** Contact with this product, either in gas or in solution, can cause severe irritation and painful burns of the eyes and eyelids. The acid **MUST** be removed quickly with thorough irrigation with water or there may be prolonged or permanent visual impairment or total loss of sight. **SKIN:** Concentrated solutions are destructive to clothing and on contact with skin, can cause severe burns unless promptly washed off. **INGESTION:** This product, when swallowed, can cause severe burns of the mucous membranes of the mouth, esophagus and stomach.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE

Product:The effects of long-term, low-level exposures to this product have not been determined. Safe handling of this material on a long-term basis should emphasize the avoidance of all effects from repetitive acute exposure. This product may aggravate existing eye, skin, and respiratory conditions.

ASPIRATION HAZARD

Product:Droplets of the product aspirated into the lungs through ingestion or vomiting may cause chemical pneumonia.

OTHER ADVERSE EFFECTS

Product:An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

12 – ECOLOGICAL INFORMATION

ACUTE TOXICITY

FISH

Product:Static test LC50 - Pimephales promelas (fathead minnow) - 70.3 mg/l - 96 hour (OECD Test Guideline 203).

AQUATIC INVERTEBRATES

Product:Harmful to invertebrates (Daphnia).

CHRONIC TOXICITY

FISH

Product:This material has exhibited moderate toxicity to aquatic organisms.

AQUATIC INVERTEBRATES

Product:This material has exhibited moderate toxicity to aquatic organisms.

TOXICITY TO AQUATIC PLANTS

Product:48 mg/l (72 h; Desmodemus subspicatus; GLP)



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

PERSISTENCE AND DEGRADABILITY

BIODEGRADATION

Product:The methods for determining the biological degradability are not applicable to predominately inorganic substances.

BIOLOGICAL OXYGEN DEMAND

Product: Not applicable

CHEMICAL OXYGEN DEMAND

Product: Not applicable

BOD / COD RATIO

Product:No data available

BIOACCUMULATIVE POTENTIAL

Product:Potential to bioaccumulate is low.

MOBILITY IN SOIL

Product:Expected to partition to water.

RESULTS OF PBT AND mPvB ASSESSMENT

Product:Not fulfilling PBT (persistent/bio accumulative/toxic) criteria.
Not fulfilling vPvB (very persistent, very bio accumulative) criteria.

OTHER ADVERSE EFFECTS

Product:No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential or global warming potential) are expected from this product.

13 –DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.....Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

RCRA STATUS:..... If discarded in its purchased form, it is not a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

14 – TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



UN/NA NUMBER:.....2967
PROPER SHIPPING NAME:..... Sulfamic Acid
HAZARD CLASS:.....8
PACKAGING GROUP :III
LETTER:.....C (Corrosive substances)
ENVIRONMENTAL HAZARD:Because of modern treatment methods or method of use of this product, only an insignificant amount of the ingredients reaches the environment. That amount is at such levels as to typically not cause any adverse effects.
REPORTABLE QUANTITY:.....None

15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:This product is listed on the TSCA inventory. If this product is a blend, all ingredients in the product are listed on the TSCA Inventory List. Any impurities present in this product are exempt from listing.

SECTION 302:.....None
SECTION 304:.....None
SECTION 312:.....None
SARA SECTION 313:.....None
ACUTE:Yes (Eyes)
CHRONIC:No
FIRE:No
PRESSURE:No
REACTIVE:.....No
CLEAN WATER ACT:.....None



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

IMDG – International Marine Dangerous Goods Code

UN2967, Sulphamic Acid, 8, PG III. EmS F-A, S-B. Marine Pollutant: No. Poison Inhalation

Hazard: No.

IATA

UN2967, Sulphamic Acid, 8, PG III.

DEA Chemical Trafficking Act: ..No

Homeland Security Regulated ..This product does not contain any reportable DHS chemicals.

California Proposition 65 This product **DOES NOT** contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

Component.....Chemical / Mixture not Listed

Cal Prop 65 NSRL.....No Significant Risk Level

US State Right to Know (RTK)

Component.....Chemical / Mixture not Listed

MassachusettsNo

New JerseyNo

PennsylvaniaNo

IllinoisNo

Rhode Island.....No

****RTK Chemical(s)**Chemical / Mixture not Listed

Canada NPRIChemical / Mixture not Listed

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): All ingredients in this product are listed on the DSL. Any impurities present in this product are exempt from listing.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): All ingredients in this product are listed on AICS or otherwise complies with NICNAS.

MITI (Japanese Handbook of Existing and New Chemical Substances): All ingredients in this product are listed in the Handbook or has been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): All ingredients in this product are listed on the Korean inventory or otherwise complies with the Korean Toxic Substances Control Act.KE-04134

Philippines Inventory (PICCS): All ingredients in this product are listed on the Philippine Inventory or otherwise complies with PICCS.

Inventory of Existing Chemical Substances in China: All ingredients in this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).



Safety Data Sheet

(A-A-19D SCALE REMOVING COMPOUND)

16 – OTHER INFORMATION

HMIS*

HEALTH		2
FLAMMABILITY		0
REACTIVITY		1
PERSONAL PROTECTION		J

**HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.*

ND = No Data, NA = Not Applicable/Not Available, ≤ = Less than or equal to, ≥ = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.**

*****This is the last page of this SDS*****