

1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:..... WALTER FD55-LF DEGREASER

CHEMICAL NAME/

CLASS/SYNONYMS: None

PRODUCT NUMBER: WALTER FD55-LF DEGREASER

UN/NA NUMBER: 1760

CHEMICAL FAMILY: Compounds, Cleaning Liquid CAS NUMBER: Not applicable for mixtures.

FORMULA: Proprietary

COMPANY:.....JMN Specialties, Inc.

1100 Victory Drive - Westwego, Louisiana USA 70094

Phone (504) 341-3749, Fax (504) 341-5868

www.jmnspecialties.com

USA +01-813-248-0585.

DATE PREPARED: February 28, 2019

2 – HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION:

Physical Hazards

Health Hazards

Skin Corrosion/Irritation: Catagory 2 - Causes skin irritation **Serious Eye Damage/Irritation:** Catagory 1 - Causes severe eye damage

Aspiration Hazard:..... Catagory 1 - May be fatal if swallowed and enters airways

WARNING LABEL ITEMS INCLUDING PRECAUTIONARY STATEMENTS:

Pictograms:





SIGNAL WORD:..... DANGER!

GHS HAZARD AND PRECAUTIONARY STATEMENTS:

H303 H313 H333: May be harmful if swallowed, in contact with skin or if inhaled

P101+102+103: If medical advice is needed, have product container or label at hand. Keep out of the reach of children. Read label before use.

P202+270+280+281: Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.



P501: Dispose of contents/container: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

TOTAL VOC's:< 2%

3 - COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	PERCENT	CAS NUMBER
Potassium Hydroxide	1 - 5	1310-58-3
Glycol Ether EB	1 - 5	111-76-2
Nonionic Surfactant(s)	10 - 20	9016-45-9
Silicone Antifoam Emulsion	0 - 1	67763-03-5

4 - FIRST-AID MEASURES

BREATHING (INHALATION): Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial resuscitation. Keep person warm and at rest. Treat symptomatically and supportively. Seek medical attention immediately. Qualified medical personnel should consider

administering oxygen.

SWALLOWING (INGESTION): Give large amounts of fresh water or milk immediately. Do not give

anything by mouth if person is unconscious or otherwise unable to swallow. If vomiting occurs, keep head below hips to prevent aspiration. Treat symptomatically and supportively. Seek medical

attention immediately.

EYES: Flush eye with copious quantities of water. If persistent irritation

occurs, obtain medical attention.

water. If persistent irritation occurs, obtain medical attention. When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop

immediately to a hospital. Do not wait for symptoms to develop.

distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have

occurred.



5 - FIRE-FIGHTING MEASURES

GENERAL FIRE HAZARDS: Water based blend - Non Flammable

AUTOIGNITION TEMP: None - Water based material

EXTINGUISHING MEDIA: Determined by surrounding material. In case of fire, use water fog, dry

chemical, CO₂, or "alcohol" foam. Firefighting should be attempted only by those who are adequately trained and equipped with proper

protective equipment.

SPECIAL FIRE FIGHTING

PROCEDURES:

Spilled product on ground may be slippery.

UNUSUAL FIRE AND

EXPLOSION HAZARDS:..... Containers may explode from internal pressure if confined to fire. Cool

with water spray.

6 - ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:..... Wear appropriate personal protective equipment before approaching

spill site. For small spills, dilute with water to sewer if allowed by local and state regulations. If unable to wash product with water, absorb with inert material (sand or other approved material) and dispose of in

accordance with applicable regulations.

WASTE DISPOSAL: Treatment, storage, transportation and disposal must be in accordance

with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in

accordance with federal, state and local requirements.

RCRA STATUS:...... If discarded in its purchased form, this product is considered a RCRA

hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should

be classified as a hazardous waste. (40CFR261.20-24).

7 - HANDLING and STORAGE

STORAGE: Keep in a tightly closed container, stored in a cool, dry, ventilated area

below 44°C (110°F). Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product. Drum must not be

washed out or used for other purposes.

HANDLING: Avoid contact with eyes, skin and clothing. Do not inhale vapors and

fumes. Wash thoroughly after handling. Use only with adequate

ventilation. Do not take internally. For industrial use only.



8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

HAZARDOUS INGREDIENT PEL TLV-TWA Potassium Hydroxide 2 mg/m^3 2 mg/m^3 Glycol Ether EB 40 ppm 40 ppm

None Established None Established Nonionic Surfactant(s) Silicone Antifoam Emulsion None Established None Established









EXPOSURE CONTROLS:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

RESPIRATORY PROTECTION: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

PROTECTIVE CLOTHING:

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible). Skin protection: Chemical resistant, impermeable gloves, impervious full body protection or impervious apron as needed. Protective Equipment should be tested to determine suitability for prolonged contact.

ADDITIONAL MEASURES:

Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.



9 - PHYSICAL / CHEMICAL PROPERITES

BOILING POINT: 220°F (104.4°C) **FREEZING POINT:** 32°F (0°C)

FLASHPOINT:......Non-flammable material

UPPER FLAME LIMIT (%): NA LOWER FLAME LIMIT (%): ... NA VAPOR PRESSURE: ND VAPOR DENSITY (AIR=1): > 1

VOLATILITY

EVAPORATION RATE:..... Similar to Water

PHYSICAL STATE: Liquid COLOR: Clear

ODOR:..... Mild Detergent

10 - STABILITY and REACTIVITY

STABILITY: Stable

HAZARDOUS DECOMP.:..... Will not occur

INCOMPATIBILITY: Oxidizers or Oxidizing Materials.

HAZARDOUS REACTIONS: Not expected to be Explosive, Self-Reactive, Self-Heating, or an

Organic Peroxide under US GHS Definition(s).

11 - TOXICOLOGICAL INFORMATION

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. **ACGIH**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. **NTP**: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. **OSHA**: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

THRESHOLD LIMIT VALUE:.. None Established for this Product OSHA PEL:...... None Established for this Product

LISTED CARCINOGEN: This product IS NOT listed in the National Toxicology Program (NTP)

Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest editions) or found to be a potential

carcinogen by OSHA.

MEDICAL CONDITION

AGGRAVATED: Existing dermatitis.



INFORMATION ON ACUTE TOXICOLOGICAL EFFECTS

Product:
fatal if swallowed.
DERMAL
Product:
Harmful contact may not cause immediate pain.
INHALATION
Product: Corrosive, inhalation of mists may cause corrosive effects to nose,
throat, and respiratory system.
REPEATED DOSE TOXICITY
Product:
SKIN CORROSION / IRRITATION
Product: Repeated and prolonged exposure to concentrated material may cause
dermatitis.
SERIOUS EYE DAMAGE / IRRITATION
Product:
blindness without immediate first aid treatment.
RESPIRATORY OR SKIN SENSITIZATION
Product:
Product: No Data Avallable
MILITA CIENICHTEN
MUTAGENCITY
IN VITRO
Product:
IN VIVO
Product: No Data Available
Specified Substance(s) Information as provided by manufacturer
2-butoxyethanol; butyl cellosolve No Data Available
CAR CINIO CENTICITAL
CARCINOGENICITY
Product: Based on available data the classification criteria are not met. Not
classified as hazardous.
REPODUCTIVE TOXICITY
Product: Based on available data the classification criteria are not met. Not
Product:
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE
classified as hazardous.
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION:
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling and possible tissue damage. INGESTION: Severe irritant. May cause severe burns
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling and possible tissue damage. INGESTION: Severe irritant. May cause severe burns of the mucous membranes of the mouth, esophagus, and stomach.
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling and possible tissue damage. INGESTION: Severe irritant. May cause severe burns of the mucous membranes of the mouth, esophagus, and stomach. SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling and possible tissue damage. INGESTION: Severe irritant. May cause severe burns of the mucous membranes of the mouth, esophagus, and stomach. SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE Product:
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling and possible tissue damage. INGESTION: Severe irritant. May cause severe burns of the mucous membranes of the mouth, esophagus, and stomach. SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE Product: The effects of long-term, low-level exposures to this product have not been determined. Safe handling of this material on a long-term basis should emphasize the avoidance of all
classified as hazardous. SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE Product: GENERAL: This product contains highly alkaline ingredients. INHALATION: Exposure to vapor, mist or liquid can cause mild to severe irritation to the respiratory tract, including chemical burns. Severe exposures could result in chemical pneumonia. EYES: Contact can cause severe damage including burns and blindness. The severity of the effects depend on concentration and how soon after exposure the eyes are washed. SKIN: Brief contact may cause slight to mild irritation with itching and local redness. Prolonged contact may cause more severe irritation, with discomfort or pain, local redness and swelling and possible tissue damage. INGESTION: Severe irritant. May cause severe burns of the mucous membranes of the mouth, esophagus, and stomach. SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE Product:



ASPIRATION HAZARD **Product:** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause chemical pneumonia. OTHER ADVERSE EFFECTS **Product:** There is no information available at this time for this product. Studies have shown that bacteria and fungi have the ability to degrade ingredients in this product thereby decreasing their toxicity to fish. However, a spill may produce significant toxicity to aquatic organisms and ecosystems. 12 - ECOLOGICAL INFORMATION ACUTE TOXICITY FISH **Product:** Fish, practically non toxic: LL/EL/IL50 > 100 mg/l. (based on similar products / components) AQUATIC INVERTEBRATES **Product:** Daphnia magna, practically non toxic: LL/EL/IL50 > 100 mg/l. (based on similar products / components) CHRONIC TOXICITY FISH **Product:** NOEC/NOEL > 100 mg/l. (based on similar products / components) AQUATIC INVERTEBRATES TOXICITY TO AQUATIC PLANTS **Product:** Algae, practically non toxic: LL/EL/IL50 > 100 mg/l. (based on similar products / components) PERSISTENCE AND DEGRADABILITY BIODEGRADATION **Product:** Biodegradability under aerobic static laboratory conditions is high (BOD20 or BOD28 / THOD greater than 80%). BIOLOGICAL OXYGEN DEMAND **Product:** No data available CHEMICAL OXYGEN DEMAND Product: No data available **BOD / COD RATIO Product:.....** No data available BIOACCUMULATIVE POTENTIAL

Product: Potential to bioaccumate is low.

MOBILITY IN SOIL

Product: Expected to partition to water.

RESULTS OF PBT AND mPvB ASSESSMENT

OTHER ADVERSE EFFECTS



13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Treatment, storage, transportation and disposal must be in accordance with Federal, State/Provincial and Local Regulations. Regulations may vary in different locations. Characterization and compliance with applicable laws are the responsibility solely of the generator. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

RCRA STATUS:....

If discarded in its purchased form, this product is considered a RCRA hazardous waste. It is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24).

14 - TRANSPORTATION INFORMATION

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.



UN/NA NUMBER: 1760

PROPER SHIPPING NAME:..... Corrosive Liquid, n.o.s. (Contains Potassium Hydroxide)

HAZARD CLASS:.....8 PACKAGING GROUP :..... II

ENVIRONMENTAL HAZARD: Because of modern treatment methods or method of use of this product,

only an insignificant amount of the ingredients reaches the environment.

That amount is at such levels as to typically not cause any adverse

effects.

REPORTABLE QUANTITY: None



15 - REGULATIONS

This Safety Data Sheet conforms to ANSI Z400.5, and to the format requirements and the International Chemical Safety Cards of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD). **IMPORTANT:** Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, & users of this product.

EPA SRA Title III Chemical Listings:

TSCA STATUS:	This product is listed on the TSCA inventory. If this product is a blend,
	all ingredients in the product are listed on the TSCA Inventory List.
	Any impurities present in this product are exempt from listing.
SECTION 302:	None
SECTION 304:	None
SECTION 312:	Yes
SARA SECTION 313:	Based on 46,870 lbs. of Potassium Hydroxide in blend, this product is
	subject to the reporting requirements of Section 313 of SARA Title III
	and 40 CFR Part 373.
ACUTE:	Yes (Eyes)
CHRONIC:	Yes
FIRE:	No
PRESSURE:	No
REACTIVE:	No
CLEAN WATER ACT:	Section 311

IMDG - International Marine Dangerous Goods Code

UN1760, Corrosive Liquid, N.O.S. Contains (Potassium Hydroxide), 8, PG II. EmS F-A, S-B. Marine Pollutant: No.

IATA

UN1760, Corrosive Liquid, N.O.S. Contains (Potassium Hydroxide), 8, PG II.

DEA Chemical Trafficking Act:.. No



16 - OTHER INFORMATION

HMIS*		
HEALTH	2	
FLAMMABILITY	0	
REACTIVITY	0	
PERSONAL PROTECTION	ON H	

*HMIS®HAZARD INDEX: 0=Minimal Hazard, 1=Slight Hazard, 2=Moderate Hazard, 3=Serious Hazard, 4=Severe Hazard. HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS and product label must be considered.

ND = No Data, NA = Not Applicable/Not Available, \leq = Less than or equal to, \geq = Greater than or equal to

REVISION STATEMENT: Changes have been made throughout this Safety Data Sheet (SDS). Please read the entire document. Prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200) and The Globally Harmonized System of Classification and Labeling of Chemicals (GHS) by the Company Health and Risk Assessment Unit.

DISCLAIMER:

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, the Company makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving this Safety Data Sheet (SDS) will make their own determination as to its suitability for their intended purposes prior to use. Since the product is within the exclusive control of the user, it is the user's obligation to determine the conditions of safe use of this product. Such conditions should comply with all Federal and State Regulations concerning the Product. It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. REPRESENTATIONS WARRANTIES, **EITHER** OR **EXPRESS** OR IMPLIED, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

This is the last page of this SDS